

# Higher Pressure e-Xtreme Z60 Electric driven Airless Sprayer for Protective Coatings






# Pressure-Flow Curves

## Flow Rate (liters/min)

Current Draw @ 220 Vac:  
4    8    12    16    20




# Influence of incoming power



### Pressure-Flow Curves

Flow Rate (liters/min)



# Z60 vs Ex45

- 25% more pressure = 345 Bar dynamic
- 10 to 15% more volume @ highest possible dynamic pressure +/- 2,7 liter/min (2,3 lpm with Ex45)
- Variable power
  - More incoming voltage, more power
  - Makes use of all available power
  - 240 Volt max, single phase, 16 Amp power draw
  - No ATEX approval

# E-Xtreme Z60

Electric fan to cool motor

Pressure regulator

Disconnect Switch

Xtreme Lower  
145cc – Z60


Heavy Duty Cart

New electric motor, non ATEX

Overpressure Burst Disk

Drain Valve

Check Valve



# E-Xtreme Z60

Unit number:

**25P 245**

Includes:

E-Xtreme Z60 pump  
145cc lower pump with filter  
15 meter, 3/8" HP hose, 1,8m whip  
XTR 7 gun with XHD tip  
heavy duty cart

Max pressure (dyn)

345 Bar, 5.000 PSI

Max flow rate at max

Pressure:

2,7 ltr/min (0,7 gpm)

List price:

9.685 USD

Introduction promotion until end of June:

50% discount for  
all PCE 1K specialists

